

DMSA C-333-24
Solid Waste Management Unit (SWMU) Assessment Report

SWMU/AOC NUMBER: 280

DATE OF ORIGINAL SAR: 12/01/00

DATE OF SAR REVISIONS: 03/15/09, 03/01/10

REGULATORY STATUS: SWMU

LOCATION: Northwest quadrant of the C-333 Process Building between columns C8-9/Cb8-9.

APPROXIMATE DIMENSION OR CAPACITY: 920 ft²

FUNCTION: Temporary storage of materials.

BRIEF HISTORY: This storage area was created in the late 1980s as a supplemental waste storage area when the generation rate of low-level waste (LLW) exceeded the capacity of existing LLW storage facilities. On December 31, 1996, this area was released by the United States Enrichment Corporation to the U.S. Department of Energy (DOE) as a DOE Material Storage Area (DMSA).

From July 2008 to September 2009, DOE characterized the materials in this DMSA in accordance with the DMSA Characterization/Remediation Plan, which was incorporated as Appendix E of the 2003 Agreed Order. The *Final Inventory and Characterization Report (FI/CR)* was submitted September 25, 2009, to the Kentucky Division of Waste Management (KDWM). KDWM approved the FI/CR on November 5, 2009.

Resource Conservation and Recovery Act (RCRA) closure activities were performed as set forth in the *Agreed Order Closure Plan for the DOE Material Storage Areas at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, BJC/PAD-720/R3*, approved on April 14, 2006. The *Notification of Intent to Proceed with Closure* for this SWMU was submitted on December 8, 2009, for KDWM approval.

OPERATIONAL STATUS: Inactive

DATES OPERATED: 1987 to 2009

SITE/PROCESS DESCRIPTION: An inside DOE storage area located in the northwest quadrant of the C-333 Process Building.

WASTE DESCRIPTION: This SWMU currently is empty. Newly discovered RCRA regulated hazardous/mixed waste formerly stored consisted of a container of shoes/concrete/scrap metal/lead pellets, respirator canisters, broken light bulbs, and containers of used gaskets, nickel sludge, and soil rags. The Toxic Substances Control Act (TSCA) regulated asbestos-containing material (ACM) formerly stored consisted of asbestos insulation. The ACM also was categorized as LLW due to radiological contamination. The LLW formerly stored consisted of scrap metal, dirt, fiber glass, vacuum bags/dust, product slag, miscellaneous trash, personal

protective equipment, and wood pallets. Solid waste formerly stored consisted of a container of filters/rugs/plastic/metal/floor mats. A detailed description of the characterized waste can be found in the FI/CR.

WASTE QUANTITY: Currently 0 ft³; waste quantity removed 1,828 ft³

SUMMARY OF ENVIRONMENTAL SAMPLING DATA: No sampling of environmental media has occurred.

DESCRIPTION OF RELEASE AND MEDIA AFFECTED: None Known

GROUNDWATER:	None Known
SURFACE WATER:	None Known
SOIL:	None Known
ECOLOGY AFFECTED: (i.e., threatened/endangered species):	None Known

DOCUMENTATION OF NO RELEASE: The *Notification of Intent to Proceed with Closure* submitted to KDWM on December 8, 2009, documents that no signs of spills or releases were found. There have been no known spills or releases of materials from this SWMU to the environment.

IMPACT ON OR BY OTHER SWMU/AOC: There is no evidence that this SWMU impacts or is being impacted by other SWMUs.

PRG COMPARISON: N/A

RFI NECESSARY: No. This SWMU is inside an operational process building with a concrete floor. All wastes have been removed from this DMSA. The unit is being proposed for no further action since it no longer is active, has no evidence of a release to the environment, and is not believed to pose a risk to human health or the environment.

OPERABLE UNIT ASSIGNMENT: N/A



View 1



View 2

**SWMU 280
DMSA C-333-24
2009**

