

**PRELIMINARY ASSESSMENT/SITE INSPECTION REPORT  
AND SWMU REPORT**

**UNIT NUMBER:** 376

**UNIT NAME:** G-337-15

**DATE:** 01/19/01

**REGULATORY STATUS:** SWMU

**LOCATION:** Column G3-Fy3; G2-Fy-2

**APPROXIMATE DIMENSION:** 20 ft. x 20 ft.

**FUNCTION:** Generator Staging Area (GSA)

**BRIEF HISTORY:** According to USEC operations personnel, this area is used for PCB contaminated waste storage.

**OPERATIONAL STATUS:** Active

**DATES OPERATED:** According to USEC operations personnel, the waste storage area has operated from 1993 to present.

**SITE/PROCESS DESCRIPTION:** Caged and locked area used to store PCB contaminated wastes.

**WASTE DESCRIPTION:** Solid and liquid Askarel (PCB) waste and miscellaneous equipment and supplies.

**WASTE QUANTITY:** One 55-gallon drum (7.4 ft<sup>3</sup>) in a containment pan, approximately fifteen 5-gallon drums (10.03 ft<sup>3</sup>) and a considerable amount of associated equipment and supplies as of 01/13/01. The waste quantity is not static since waste is routinely added to the storage area or into individual containers. In addition, waste containers are routinely moved out of the area for off-site shipment or disposal.

**SUMMARY OF ENVIRONMENTAL SAMPLING DATA:** None

**DESCRIPTION OF RELEASE AND MEDIA AFFECTED:** According to USEC operations personnel, there have been no releases from this SWMU to the environment .

**GROUNDWATER:** N/A

**SURFACE WATER:** N/A

**SOIL:** N/A

**ECOLOGY AFFECTED (i.e., endangered/threatened species):** None

**DOCUMENTATION OF NO RELEASE:** According to USEC operations personnel, inspection checklists are on file documenting that there have been no releases from this SWMU.

**IMPACT ON OR BY OTHER SWMU/AOC:** No other SWMUs are located in the area.

**PRG COMPARISON:** N/A

**RFI NECESSARY:** No. This unit is being proposed for No Further Action since this SWMU has had no releases to the environment and is not a threat to human health or the environment. According to USEC operations personnel, this unit has been managed and inspected in accordance with approved procedures since its creation.

**NOTE:** Elements included in this outline shall be considered and incorporated, as appropriate, when developing the above referenced document.