

**PRELIMINARY ASSESSMENT/SITE INSPECTION REPORT
AND SWMU ASSESSMENT REPORT**

UNIT NUMBER: 441

UNIT NAME: S-540-A-2-01

DATE: 01/19/01

REGULATORY STATUS: SWMU

LOCATION: South of C-540-A

APPROXIMATE DIMENSION: 6 ft. X 8 ft. X 8 ft.

FUNCTION: Satellite Accumulation Area now being used as an equipment material storage area

BRIEF HISTORY: According to USEC Power Operations personnel, this portable building was established to store RCRA hazardous waste. No hazardous waste was stored here as of 1/4/01.

OPERATIONAL STATUS: Active

DATES OPERATED: 1/1/92 – present according to USEC Power Operations personnel

SITE/PROCESS DESCRIPTION: Portable metal building.

WASTE DESCRIPTION: Previously used for the storage of aerosol cans, light bulbs and batteries.

WASTE QUANTITY: As of 1/4/01, there was no waste stored here. All items visible in the photo were usable supplies rather than waste. The waste quantity was not static since waste was routinely added to the storage area or into individual containers. In addition, waste containers were routinely moved out of the area into RCRA permitted storage for processing prior to treatment and/or disposal.

SUMMARY OF ENVIRONMENTAL SAMPLING DATA: None

DESCRIPTION OF RELEASE AND MEDIA AFFECTED: According to USEC Power Operations personnel, there have been no releases from this SWMU to the environment.

GROUNDWATER: N/A

SURFACE WATER: N/A

SOIL: N/A

ECOLOGY AFFECTED (i.e., endangered/threatened species): None

DOCUMENTATION OF NO RELEASE: According to USEC Power Operations and WESKEM, LLC personnel, inspection checklists are on file documenting that there have been no releases from the SWMU.

IMPACT ON OR BY OTHER SWMU/AOC: There was no evidence of any impact on or by any other SWMU.

PRG COMPARISON: N/A

RFI NECESSARY: No. This unit is being proposed for No Further Action since this SWMU has had no releases to the environment and is not a threat to human health and the environment. According to USEC Power Operations personnel, this unit has been managed and inspected in accordance with approved procedures since creation.

NOTE: Elements included in this outline shall be considered and incorporated, as appropriate, when developing the above referenced document.